

INDEX MAPS.

T. 23N, R. 8E 2nd Mer.

Meanders 73

	52		51		51		51		50		50	
53	6	72	5	68	4	65	3	61	2	57	1	50
	72		72		68		64		61		57	
53	7	72	8	68	9	64	10	60	11	56	12	49
	72		72		67		64		60		56	
53	18	71	17	67	16	63	15	60	14	56	13	49
	71		71		67		63		59		55	
52	19	70	20	66	21	63	22	59	23	55	24	49
	70		70		66		62		58		55	
52	30	70	29	66	28	62	27	58	26	54	25	49
	69		69		66		62		58		54	
52	31	69	32	65	33	61	34	57	35	54	36	48
	48		48		47		47		47		47	

T. 24N, R. 8E. 2nd Mer.

Meanders 70

	85	85	85	85	84	84						
87	6	109	5	103	4	99	3	95	2	91	1	84
	108	109		103		98		95		91		
87	7	108	8	102	9	98	10	94	11	91	12	84
	107	107		102		98		94		90		
87	18	107	17	102	16	97	15	94	14	90	13	83
	106	106		101		97		93		89		
86	19	106	20	101	21	97	22	93	23	89	24	83
	105	105		100		96		93		89		
86	30	105	29	100	28	96	27	92	26	89	25	83
	104	104		99		96		92		88		
86	31	104	32	99	33	95	34	92	35	88	36	82
	82	82		81		81		81		81		

The figures on the lines refer to the page.

Township 24 North, Range 8 East 2nd Mer. Ind. 81

South Boundary

Var. 5°15' E.

West on E. Side of Sec. 36

40.00 Set gr. Sec. post from which

a W. Oak 6 in. diam. bears S 44° E 5 W. dist. 8

a Elm 24 " " " N 54° E 17 " "

80.00 Set Post cor. to Secs. 35 & 36 from which

a Buck 14 in. diam. bears N 48° W 6 W. dist. 8

a No 9 " " " S 8° E 23 " "

Soil rich land. Buck. Sugar. Oak. Ash &c

West on E. Side of Sec. 35

40.00 Set gr. Sec. post from which

a Ironwood 6 in. diam. bears N 80° E 21 W. dist. 8

a Sugar 24 " " " N 50° W 30 " "

80.00 Set Post cor. to Secs. 34 & 35 from which

a Buck 24 in. diam. bears N 61° E 12 W. dist. 8

a No 12 " " " N 85° W 27 " "

Land & Timber same as on the last line -

West on E. Side of Sec. 34

40.00 Set gr. Sec. post from which

a Sugar 15 in. diam. bears N 54° W 30 W. dist. 8

a No 24 " " " S 17° E 38 " "

80.00 Set Post cor. to Secs. 33 & 34 from which

a Buck 12 in. diam. bears S 42° W 33 W. dist. 8

a No 12 " " " N 7° E 32 " "

Land & Timber same as on the last line.

West on E. Side of Sec. 33

36.50 Intersect E. bank of Mississinewa River

Set post from which

a Buck 24 in. diam. bears N 7° E 24 W. dist. 8

a No 24 " " " S 55° E 34 " "

41.50 On River Set Post from which

a Sugar 9 in. diam. bears S 4° E 20 W. dist. 8

T. H. N. R. & Co. Inc. Mer. Indiana

an Elm 12 in. diam. bears N 8 E 30 W. dir.
 80.00 Set post con. to Sec. 32 & 33 from which
 a Beech 12 in. diam. bears N 57 E 10 W. dir. &
 a Poplar 12 " " " N 57 W 37 " "
 Land & Timber same as on the last line -

West on S. Side of Sec. 32
 40.00 Set q. Sec. post from which
 a Beech 12 in. diam. bears N 60 W 16 W. dir. &
 a Do 4 " " " N 86 E 8 " "
 80.00 Set post con. to Sec. 31 & 32 from which
 a Beech 18 in. diam. bears N 14 W 5 W. dir. &
 a Do 9 " " " N 57 W 17 " "
 Land & Timber same as on the last line -

West on S. Side of Sec. 31
 40.00 Set q. Sec. post from which
 a Beech 8 in. diam. bears S 2 W 35 W. dir. &
 a W. Oak 24 " " " N 5 W 25 " "
 81.00 Intersect Range line & set post con. to Towns
 23 & 24 North, Range 7 & 8 East from which
 an Ash 10 in. diam. bears S 78 W 11 W. dir. &
 a W. Oak 48 " " " S 62 E 17 " "
 Land & Timber same as on the last line -

East Boundary -

Var. 6° 45' E.

North on E. Side of Sec. 36.
 32.65 a Sugar 15 in. diam.
 40.00 Set q. Sec. post from which
 a W. Oak 14 in. diam. bears N 49 E 4 W. dir. &
 an Ironwood 6 " " " N 24 W 5 " "
 65.30 a Beech 12 " "
 80.00 Set post con. to Sec. 35 & 36 from which
 an Elm 15 in. diam. bears S 83 W 5 W. dir. &
 a Do 6 " " " N 49 E 6 " "

This East Boundary has been
renewed, or, at least, the facts reset
the notes of which may be found in
the book of Subdivision of Town 21
North, Range 9 East of J. Hendricks
No reference to such correction has
been made by Mr. Hendricks in the
Notes of Range 8 East and of course
the transaction was not aware of such
correction until he came to Township

2 of North Range 9 East -

The Subdivision of Right Faces & Means
on this line could then be have to be altered

83

W. H. N. - W. & E. 2nd Mer. Indiana

*Sand rolling, Timber Buck. Sugar. Ash.
Oak &c. Kind growth Spruce &c*

North on E. Side of Sec. 25

- 2.00 a Buck 50 ft. wide corner S.W.
3.07 a Buck 18 in. diam.
40.00 Let g. Sec. Post from which
a W. Oak 30 in. diam. bears N 16 E 17 W. dist. 4
a Buck 15 " " " N 85 E 25 " "
61.57 a Do 15 " "
80.00 Let Post cor. to Secs. 24 & 25 from which
a Buck 18 in. diam. bears N 6 E 36 W. dist. 4
a Do 12 " " " N 32 W 22 " "
Sand, Timber &c Same as on the last line.

North on E. Side of Sec. 24

- .50 a Buck 16 ft. wide corner N.W.
17.48 a Buck 14 in. diam.
40.00 Let g. Sec. Post from which
a Buck 12 in. diam. bears S 5 E 35 W. dist. 4
a Do 6 " " " N 63 W 9 " "
80.00 Let Post cor. to Secs. 23 & 24 from which
a W. Oak 24 in. diam. bears S 85 E 20 W. dist. 4
a Do 12 " " " N 11 W 26 " "
Sand & Timber &c Same as on the last line.

North on E. Side of Sec. 13

- 26.75 a Buck 16 in. diam.
40.00 Let g. Sec. Post from which
a W. Oak 24 in. diam. bears S 85 E 17 W. dist. 4
a Do 15 " " " N 75 W 12 " "
80.00 Let Post cor. to Secs. 12 & 13 from which
a W. Oak 8 in. diam. bears West 14 W. dist. 4
a Do 6 " " " N 9 E 13 " "
Sand, Timber &c. Same as on the last line.

T. 24 N. - R. 8 E. 2nd Mer. Indiana

North on E. Side of Sec. 12

22.50 a Cuck 30 in. wide from N.W.

40.00 Set g. Sec. Post from which

a W. Oak 15 in. diam. bears N 44 W 29 W. dist. 8

a Hickory 15 " " " N 21 E 33 " "

80.00 Set post on to Sec. 14 12 from which

a Hickory 6 in. diam. bears N 36 W 15 W. dist. 8

an Elm 6 " " " N 44 E 28 " "

Land land, Timber & length same as on last line.

North on E. Side of Sec. 1

40.00 Set g. Sec. Post from which

a Buck 9 in. diam. bears N 89 W 25 W. dist. 8

a W. Oak 24 " " " S 32 W 36 " "

82.00 Set post on to Sec. 24 25 North Range -

84 g East from which

a Buck 12 in. diam. bears S 68 E 15 W. dist. 8

a So 12 " " " N 23 E 27 " "

Land, Timber & Same as on the last line.

March 31st 1890

North Boundary.

Var. 5° 55' E.

West on S. Side of Sec. 36 T. 25 N. - R. 8 E -

40.00 Set g. Sec. Post from which

an Oak 10 in. diam. bears N 68 W 30 W. dist. 8

a Buck 20 " " " N 70 E 13 " "

80.00 Set post on to Sec. 35 & 36 from which

a Buck 14 in. diam. bears N 75 W 35 W. dist. 8

an Ash 8 " " " S 70 E 22 " "

Or a good farming land. Timber Ash Sugar &c.

West on S. Side of Sec. 35 T. 25 N. - R. 8 E -

40.00 Set g. Sec. Post from which

a Buck 14 in. diam. bears N 71 E 36 W. dist. 8

a So 13 " " " S 64 W 37 " "

85

W. 24. N. - W. 8 E. 2nd Mer. Indiana.

80.00 Set Post en. to Sec. 34 & 35 from which
 a Hickory 14 in. diam. bears N 84 E 14 W. dir. &
 an Elm 18 " " " S 88 W 10 " "
 Sand & Timber Same as on the last line

West on E. Side of Sec. 34 T. 25. N. - R. 8 E.
 40.00 Set q. Sec. Post from which
 a Buck 10 in. diam. bears N 72 E 10 W. dir. &
 a Spruce 18 " " " S 13 W 8 " "
 80.00 Set Post en. to Sec. 33 & 34 from which
 a Buck 16 in. diam. bears N 32 E 26 W. dir. &
 a Sugar 24 " " " S 35 W 5 " "
 Sand & Timber Same as on the last line.

West on E. Side of Sec. 33 T. 25. N. - R. 8 E -
 40.00 Set q. Sec. Post from which
 a Buck 8 in. diam. bears N 76 E 9 W. dir. &
 a Hickory 18 " " " S 76 W 7 " "
 80.00 Set Post en. to Sec. 32 & 33 from which
 a Buck 14 in. diam. bears N 30 E 22 W. dir. &
 a No 8 " " " S 35 W 34 " "
 Sand & Timber Same as on the last line -

West on E. Side of Sec. 32 T. 25. N. - R. 8 E -
 40.00 Set q. Sec. Post from which
 an Ash 12 in. diam. bears S 35 W 14 W. dir. &
 an Oak 14 " " " N 70 E 31 " "
 80.00 Set Post en. to Sec. 31 & 32 from which
 an Elm 13 in. diam. bears N 6 E 39 W. dir. &
 a No 12 " " " S 58 W 33 " "
 Sand & Timber Same as on the last line.

West on E. Side of Sec. 31 T. 25. N. - R. 8 E -
 28.25 Intersect Right Bank of Mississinewa River
 Set post from which
 a Buckeye 12 in. diam. bears S 38 W 14 W. dir. &

T. 24 N. - R. 7 E. 2nd Mer. Indiana.

an Ironwood 10 in. diam. bears N 38 E 60th dist.
 32.50 On River & Set Post on Left bank from which
 an Ash 8 in. diam. bears S 38 W 13th dist. &
 a Red-bud 6 " " " N 28 E 14 " "
 40.00 Set q. Sec. Post from which
 a Buck 14 in. diam. bears N 39 E 48th dist. &
 a Do 18 " " " S 29 W 22 " "
 79.75 Township Corner.

West Boundary

Var. 6° 30' E.

North on E. Side of Sec. 36 T. 24 N. - R. 7 E.

18.40 a Sugar 14 in. diam.
 39.60 a Buck 10th wide Course N.E.
 40.00 Set q. Sec. Post from which
 a Buck 10 in. diam. bears S 6 E 40th dist. &
 80.00 Set Post cor. to Secs. 25 & 36 from which
 an Ironwood 6 in. diam. bears S 38 E 9th dist. &
 a Buck 16 " " " N 22 W 13 " "
 On good farming land. Timber:
 Buck, Sugar, Ash &c

North on E. Side of Sec. 25 T. 24 N. - R. 7 E.

25.53 a Buck 14 in. diam.
 25.60 a Brook 20th wide Course N.E.,
 40.00 Set q. Sec. post from which
 a Buck 12 in. diam. bears S 36 E 27th dist. &
 a Do 14 " " " N 35 W 14 " "
 42.62 an Oak 30 " "
 80.00 Set Post cor. to Secs. 24 & 25 from which
 a Buck 8 in. diam. bears S 52 W 17th dist. &
 a Poplar 10 " " " N 71 E 5 " "
 Land & Timber same as on the last line -

North on E. Side of Sec. 24 T. 24 N. - R. 7 E.

27.15 an Oak 12 in. diam.

87

ms T. 24 N. - W. 8 E. 2nd Mer. Indiana.

40.00 Set gn. Sec. Post from which
an Oak 36 in. diam. bears S 50 W 29 W. dist. 8
a Birch 6 " " " N 58 E 3 " "
65.70 a Sugar 14 " "
80.00 Set Post en. to Sec. 13 & 14 from which
a Hickory 8 in. diam. bears S 11 E 27 W. dist. 8
an Ash 13 " " " N 38 E 23 " "
Sand & Timber Same as on the last line.

North on E. Side of Sec. 13 T. 24 N. - W. 8 E -

40.00 Set gn. Sec. Post from which
a Birch 8 in. diam. bears S 76 E 8 W. dist. 8
an Elm 18 " " " N 8 W 18 " "
56.03 a Poplar 12 " "
80.00 Set post en. to Sec. 12 & 13 from which
a Birch 8 in. diam. bears S 75 E 2 W. dist. 8
a Poplar 24 " " " S 50 W 12 " "
Sand & Timber Same as on the last line -

North on E. Side of Sec. 12 T. 24 N. - W. 8 E -

23.90 a Sugar 14 in. diam.
33.50 a Brook 10 W. wide Corn E -
40.00 Set gn. Sec. Post from which
a Sugar 10 in. diam. bears S 4 E 41 W. dist. 8
an Oak 12 " " " N 63 E 11 " "
73.70 an Ash 40 " "
80.00 Set Post en. to Sec. 17 & 12 from which
a Birch 12 in. diam. bears S 32 E 27 W. dist. 8
a No 30 " " " S 85 W 30 " "
Sand & Timber Same as on the last line.

North on E. Side of Sec. 1 T. 24 N. - W. 8 E -

40.00 Set gn. Sec. Post from which
a Birch 10 in. diam. bears S 48 W 10 W. dist. 8
a No 10 " " " N 59 E 16 " "
56.50 a Sugar 12 " "

N. 24 N. - R. 8 E. 2nd Ma. Indiana

63.00 at Brook 7 1/2 W. wide corner E-
 80.00 Set Post cor. to Towns 24 & 25 North, Range
 7 & 8 East from which
 a Sugar 9 in. diam. bears S 18 E 13 W. dist. 8
 a Beech 10 " " " N 7 E 39 " "
 Land & Timber same as on the last line -
 Surveyed in 1820 by
 John James W. McDonald S. S.

Subdivision

North Return Sect. 35 & 36 -

34.50 at Branch 10 W. wide corner S. W.
 40.00 Set gr. Sec. Post from which
 a Beech 11 in. diam. bears S 41 W 21 W. dist. 8
 a Do 18 " " " N 45 W 23 " "
 42.50 a W. Oak 15 " "
 77.00 at Brook 20 W. wide corner W.
 80.00 Set Post cor. to Sect. 25, 26, 35 & 36 fr. which
 a Hackberry 20 in. diam. bears N 6 E 11 W. dist. 8
 a Do 9 " " " S 24 W 11 " "
 Land level 3rd rate, Beech, Ash, Sugar &
 and growth Spruce, Ironwood &c

East on Random Return Sect. 25 & 36 -

10.50 at Brook 20 W. wide corner S. W.
 40.00 Set temp. gr. Sec. Post -
 63.50 at Brook 18 W. wide corner N. W.
 76.67 Intersect E. Bound. line 2.97 N. of Post -
 Land & Timber same as on the last line -

West corner Return Sect. 25 & 36 -

38.33 Set gr. Sec. Post at a mag. dist. from which
 a Sugar 18 in. diam. bears S 84 E 18 W. dist. 8
 an Ironwood 5 " " " N 36 W 17 " "
 76.67 To Sec. Corner.

89

T. H. N. - R. 8 E 2nd Mer. Indiana

North & Return Secs. 25 & 26 (Resurveyed)

40.00 Set q. Sec. Post from which
an Elm 24 in. diam. was N 77° 37' W. dist. 8
a B. Ash 48 " " " N 13° E 48 " "

74.30 a Beech 18 " "

80.00 Set Post on to Secs. 23, 24, 25 & 26 fr. which
a Beech 11 in. diam. was S 24° 11' 24" W. dist. 8

a Do 12 " " " N 1° E 44 " "

and lent 3rd rate. Mon. 11th 1823-

East on Random Return Secs. 24 & 25-

40.00 Set temp. q. Sec. Post-

75.75 Intersect E. Bound. line S 75° W. N. of post.
and lent 3rd rate. Timber Beech, Ash, Sugar,
Oak, Ironwood Hickory &c-

West corner Return Secs. 24 & 25-

37.87 Set q. Sec. Post at approx. dist. from which
a Beech 14 in. diam. was N 57° E 12 W. dist. 8
a Do 9 " " " S 38° W 11 " "

75.75 To Sec. Corn. Sept. 11th 1823

North & Return Secs. 23 & 24-

3.18 a Beech 15 in. diam.

40.00 Set q. Sec. Post from which
a Hickory 15 in. diam. was S 49° W 12 W. dist. 8
a Do 14 " " " N 54° E 17 " "

65.30 a Beech 20 " "

80.00 Set Post on to Secs. 13, 14, 23 & 24 from which
an Ash 28 in. diam. was S 36° W 24 W. dist. 8
a Do 18 " " " N 77° E 31 " "

and lent 3rd rate. Beech, Ash, Oak, Hickory,
Swamp Ash, Ironwood &c

East on Random Return Secs. 13 & 24-

40.00 Set temp. q. Sec. Post-

W. H. N. R. & E. J. Me. Indiana.

75.25 Intersect E. Bound. line 200 W. N. of post -
Sand & Limbs same as in the last line -

West Corner between Secs. 13 & 24 -

37.62 Set gr. Sec. post at a range dirt from which
a Hickory 20 in. diam. bears N 8 E 9 W. dist. 8
a W. Oak 30 " " " 127 W 44 " "

75.25 To Sec. Corner September 12th 1823 -

North Return Secs. 13 & 14

30.11 a Buck 10 in. diam.

40.00 Set gr. Sec. post from which
a Buck 22 in. diam. bears N 37 W 15 W. dist.
a W. Oak 36 " " " 127 W 44 " "

57.50 a Branch 6 W. wide Corn. N. W.

64.24 a W. Oak 36 in. diam.

66.00 a Branch 6 W. wide Corn. S. W.

80.00 Set post on to Secs. 11, 12, 13 & 14 from which
a Hickory 4 in. diam. bears N 8 E 13 W. dist. 8
an Elm 5 " " " N 53 W 27 " "

Sand rolling 3rd rate. W. Oak. Hickory. Ash,
Buck. Ironwood &c

East and Random Return Secs. 12 & 13 -

11.00 a Branch 6 W. wide Corn. N. E.

27.50 a Do 6 " " " S.

40.00 Set temp. gr. Sec. post -

67.50 a Stream 10 W. wide Corn. N.

76.10 Intersect E. Bound. line 400 W. N. of post -
Description of Sand & Limbs omitted

West Corner between Secs. 12 & 13 -

38.05 Set gr. Sec. post at a range dirt. from which
a W. Oak 20 in. diam. bears N 71 W 10 W. dist. 8
a Do 30 " " " N 23 E 5 " "

76.10 To Sec. Corner. November 11th 1823 -

91

J. H. N. - W. P. & E. 2nd Mer. Indiana

North Return Sec^s 11 & 12

- 10.17 a Buck 18 in diam.
 30.21 a Stream 25 W. side Course N.
 40.00 Let q. Sec. post from which
 a W. Oak 20 in diam. bears N 77 E 22 W. dir. &
 an Elm 18 " " " S 69 W 26 " "
 49.90 a Sugar 36 " "
 64.50 a Stream 6 W. side Course S. W.
 67.00 Do 6 " " " S. E.
 80.00 Let Post cu. to Sec^s 1, 2, 11 & 12 from which
 a Dogwood 4 in diam. bears S 80 E 11 W. dir. &
 a Do 5 " " " S 4 W 5 " "
 Sand rolling & poor. Timber W & R. Oak &c

East in Random Return Sec^s 14 & 12 -

- 40.00 Let temp. q. Sec. post
 75.12 Intersect E. Bound. line 283 W. N. of post.
 Sand & Timber same as in the last line -

West Corner Return Sec^s 14 & 12

- 37.71 Let q. Sec. post at average dir. from which
 a Cherry 6 in diam. bears S 54 E 5 W. dir. &
 an Ash 4 " " " N 63 W 13 " "
 75.42 To Sec. Corner.

North Return Sec^s 14 & 13

- 40.00 Let q. Sec. post from which
 a Buck 18 in diam. bears N 50 W 30 W. dir. &
 an Elm 16 " " " S 45 E 35 " "
 67.61 a Buck 18 " "
 76.33 Intersect N. Bound. line 495 E. of Post-
 where Let Post Cu. to Sec^s 14 & 13 from which
 a Buck 15 in diam. bears S 76 E 15 W. dir. &
 a Do 30 " " " S 78 W 32 " "
 Sand poor

W. H. N. - R. & E. Ind. Ma. Indiana

North Return Secs 34 & 35

13.50 a Buck 15 in. diam.

40.00 Set g. Sec. post from which
a Sugar 5 in. diam. bears N 31° W 32 W. dir. &
a Do 10 " " " S 42° W 31 " "

50.60 a W. Oak 35 " "

80.00 Set post cu. to Secs 26, 27, 34 & 35 from which
a Hickory 20 in. diam. bears S 11° W 39 W. dir. &
a Beech 30 " " " N 49° W 21 " "
Land lent 2nd rate. Some Beech. Sugar,
Hickory Poplar. and th Spruce Ash &c

East or Random Return Secs 26 & 35 -

21.50 a Branch 15 W. side Corn. N. W.

40.00 Set temp. g. Sec. post -

53.00 a Branch 30 W. side Corn. N. W.

76.10 Interior Mt. line 47 W. N. of Post -

1st 1/2 mile lent 2nd rate Last 1/2 rolling land.

West Corner Return Secs 26 & 35

38.05 Set g. Sec. post at angle dir. from which
a Sugar 30 in. diam. bears S 10° W 5 W. dir. &
a Buck 12 " " " N 6° E 50 " "

76.10 To Sec. Corner.

North Return Secs 26 & 27 -

22.06 an Elm 30 in. diam.

32.00 a Brook 30 W. side Corn. N. W.

40.00 Set g. Sec. post from which

a Buck 15 in. diam. bears N 45° E 7 W. dir. &
a W. Buck 8 " " " N 46° W 17 " "

80.00 Set post cu. to Secs 22, 23, 26 & 27 from which
a W. Oak 30 in. diam. bears S 15° W 14 W. dir. &
a Buck 14 " " " N 74° E 26 " "

1st 1/2 mile rolling 1st rate. Last 1/2 do rolling
2nd rate. Land - Much Sugar tree

93

W. H. N. - W. & E. 9th Mer. Indiana

East on Random Return Secs. 23 & 26
 40.00 Let temp. q. Sec. Post-
 60.20 a Dry Branch Corner S-
 79.70 Entrance Mt. line 292 W. S. of Post-
 Sand land 3rd rate-

West Corner Return Secs. 23 & 26-
 39.85 Let q. Sec. Post at a mag. dist. from which
 a Buck 10 in. diam. was 179 E 28 W. dir. &
 a Spruce 5 " " " 14 E 15 " "
 79.70 To Sec. Corner

North Return Secs. 22 & 23-
 13.75 a Hickory 15 in. diam.
 40.00 Let q. Sec. Post from which
 a Hickory 12 in. diam. was 70 E 12 W. dir. &
 a Do 24 " " " 32 W 14 " "
 74.25 a Buck 15 " "
 80.00 Let Post en. to Secs. 14, 15, 22 & 23 from which
 a Buck 10 in. diam. was West 20 W. dir. &
 a Do 12 " " " 70 E 15 " "
 Sand land 3rd rate. Sugar. Beech Oak &
 Mambo 10th 1823-

East on Random Return Secs. 14 & 23-
 40.00 Let temp. q. Sec. Post-
 79.83 Entrance Mt. line 50 W. S. of Post-
 Sand 1st 1/2 mile 3rd rate. Last 1/2 do. level &
 good. Timber Oak, Buck, Hickory &

West Corner Return Secs. 14 & 23-
 39.91 Let q. Sec. Post at a mag. dist. from which
 a Hickory 12 in. diam. was East 7 W. dir. &
 a Buck 8 " " " South 7 W 9 " "
 79.83 To Sec. Corner

W. H. N. - R. & E. Ind. Mer. Indiana

North Return Secs 14 & 15 -

24.50 a Hickory 12 in. diam.

40.00 Set g. Sec. post from which

a Hickory 12 in. diam. N 70 E 31 W. dist.

a W. Oak 24 " " " S 30 W 10 " "

56.40 a W. Oak 15 " "

80.00 Set post cu. to Secs 10, 11, 14 & 15 from which

a W. Oak 20 in. diam. N 20 E 16 W. dist.

a No 14 " " " S 48 E 13 " "

Sand level 3rd rate. Timber W. Oak, Buck,

Hickory, Ash, Ironwood &c

March 11th 1823 -

East on Random between Secs 14 & 14 -

40.00 Set temp. g. Sec. post -

79.50 Internal Ad. line 136 W. E. of post -

Sand rolling 3rd rate.

West Corner between Secs 14 & 14 -

39.75 Set g. Sec. post at angle div. from which

a R. Oak 30 in. diam. N 27 W. dist.

a W. Oak 20 " " " N 60 W 40 " "

79.50 To Sec. Corner.

North Return Secs 10 & 11 -

1.92 a R. Oak 30 in. diam.

40.00 Set g. Sec. post from which

a Buck 18 in. diam. N 75 E 30 W. dist.

a No 18 " " " S 30 W 31 " "

41.50 a Stream 50 W. wide corner W.

80.00 Set post cu. to Secs 2, 3, 10 & 11 from which

on Ash 24 in. diam. N 10 W 17 W. dist.

a Buck 15 " " " S 70 W 8 " "

Sand rolling 1st & 2nd rate. Poor. Last 1/2 mile
rolling 2nd rate. much Spruce, Buckeye &c

95

J. H. N. - R. & E. 2nd Mer. Indiana.

East at Random between Secs 2 & 11 -

12.50 a Steam 6 W. inch Corn S.W.

34.00 a No 8 " " " S.W.

40.00 Set temp. ga. Sec. Post

79.00 Intersect N. line 72 W. S. of Post -
Sand rolling & from 3rd rate -

West Corner between Secs 2 & 11 -

39.50 Set ga. Sec. Post at a map div. from which
a W. Oak 10 in. diam. has N 40 W 31 W. div.
a No 20 " " " S 29 W 7 " "

79.00 To Sec. Cornu - November 11th, 1893 -

North Detour Secs 2 & 3 -

40.00 Set ga. Sec. post from which -

an Ash 6 in. diam. has S 48 W 22 W. div. &

a Buck 15 " " " N 68 E 18 " "

53.42 a B. Oak 6 " "

78.27 Intersect at Bound. line 669 W. E. of Post -

when set post ca. to Secs 2 & 3 from which

an Ash 6 in. diam. has N 62 E 15 W. div. &

a B. Oak 36 " " " S 56 W 38 " "

Sand rolling & from 3rd rate &

North Detour Secs 33 & 34 -

20.55 a Sugar 10 in. diam.

40.00 Set ga. Sec. Post from which

a Buck 14 in. diam. has N 30 E 27 W. div. &

a No 12 " " " S 40 E 7 " "

57.34 a B. Oak 12 " "

80.00 To Post ca. to Secs 27, 28, 33 & 34 from which

a Buck 20 in. diam. has N 22 E 31 W. div. &

a No 12 " " " S 30 E 18 " "

Sand lent 2nd rate. Sugar, Buck, Elm,
Ash, Spruce, Saw & etc

N. H. N. R. & E. 2nd Mer. Indiana.

East at Random between Secs 27 & 34.

40.00 Set temp. gr. Sec. Post.

82.10 Intersect Mt. line 53 W. S. of Post.

1st 1/2 mile 1st rate, rolling East to do. 2nd rate
level land - Walnut Sugar. Elm. Hickory.
Buck. Birch. PawPaw Spice &c

West Corner between Secs 27 & 34.

41.05 Set gr. Sec. Post at amag dist. from which
a Sugar 11 in. diam. Pass 24 E 16 W dist. &
a Hickory 6 " " " N 70 W 37 " "

82.10 To Sec. Corner.

North between Secs 27 & 28.

32.25 a Buck 12 in. diam.

36.60 a Stream 30 W. wide corner NW.

40.00 Set gr. Sec. Post in Stream from which
a Spruce 6 in. diam. Pass South 50 W. dist. &
a Buck 5 " " " N 31 E 14 " "

52.00 a No 14 " "

80.00 Set Post cor. to Secs 21, 22, 27 & 28 from which
a Walnut 5 in. diam. Pass N 33 W 11 W. dist. &
a Hickory 12 " " " S 8 W 25 " "
Sand level 1st rate. Walnut, Buckeye &
sugar. PawPaw. Spice &c

East at Random between Secs 22 & 27.

40.00 Set gr. Sec. Post (temp.)

81.94 Intersect Mt. line 18 W. S. of Post.

Sand level 1st 1/2 mile 1st rate, East 1/2 mile
2nd rate. Buckeye Spruce Ash. Sugar. Buck &c

West Corner between Secs 22 & 27.

40.97 Set gr. Sec. Post at amag dist. from which
a Buck 10 in. diam. Pass N 32 W. dist. &
a No 12 " " " East 35 " "

97

T. D. N. - W. & E. 2nd Mu. Indiana

81.94 To Sec. Corner. November 10th 1893 -

North Between Secs. 21 & 22 -

11.30 a Hickory 6 in. diam.

40.00 Let q. Sec. post from which
a Buck 15 in. diam. bears N 34 W 12 W. dist. 8
a Do 16 " " " S 73 E 18 " "

57.50 a Do 20 " "

70.15 a Stream 12 W. wide course S. W.

80.00 Let post cu. to Secs. 15, 16, 21 & 22 fr. which
an Ironwood 5 in. diam. bears S 5 E 33 W. dist. 8
a Buck 18 " " " N 25 E 18 " "
Land rolling, 1st 1/2 mile 1st rate. Last 1/2
mile 2nd rate. Hickory, Buckeye, Elm, Hack-
berry, Palmetto, Spice, green briar &c.

East on Random between Secs. 15 & 22 -

10.00 a Stream 10 W. wide course S. W.

14.53 Do 10 " " " N. W.

25.15 Do 10 " " " S.

30.20 Do 10 " " " N. W.

40.00 Let temp. q. Sec. post.

81.52 Intersect Md. line 40 W. N. of post.
Land rolling 3rd rate. Oak &c.

West Corner between Secs. 15 & 22 -

40.76 Let q. Sec. post at average dist. from which
a Buck 18 in. diam. bears N 10 W 20 W. dist. 8
an Ironwood 5 " " " N 20 W 6 " "

81.52 To Sec. Corner.

North Between Secs. 15 & 16 -

18.80 a Red Oak 30 in. diam.

40.00 Let q. Sec. post from which
a Buck 20 in. diam. bears S 38 W 12 W. dist. 8
a Cherry 5 " " " N 30 E 15 " "

W. D. N. - R. & E. 2nd Mer. Indiana

42.00 a W. Oak 20 in. diam.

80.00 Set Post cu. to Secs. 9, 10, 15 & 16 from which
a Sugar 7 in. diam. bears S 40 W 18 W. dist. &
a Hickory 5 " " " N 40 E 24 " "
Some good land. Buckeye, Hickory, Walnut,
Ash, Birch, Maple &c.

East on Random between Secs. 10 & 15 -

40.00 Set temp. q. Sec. Post

80.30 Intersect W. line to W. N. of Post -
Rich rolling land. Hickory, Oak, Walnut, Sugar.

West Corner between Secs. 10 & 15

40.15 Set q. Sec. Post at average dist. from which
a Hickory 12 in. diam. bears S 70 E 5 W. dist. &
a No 10 " " " N 70 W 7 " "

80.30 To Sec. Corner.

North between Secs. 9 & 10

3.10 a W. Oak 20 in. diam.

40.00 Set q. Sec. Post from which
an Elm 10 in. diam. bears S 75 W 42 W. dist. &
a Hickory 6 " " " S 53 E 32 " "

40.37 a Stream 50 W. wide Course S. W.

80.00 Set Post cu. to Secs. 3, 4, 9 & 10 from which
a Birch 8 in. diam. bears S 34 W 15 W. dist. &
a No 10 " " " N 88 E 17 " "
Land rolling & poor. Birch, Sugar, Hickory, Ash &c.

East on Random between Secs. 3 & 10 -

40.00 Set temp. q. Sec. Post -

68.00 a Stream 5 W. wide Course S. E.

83.38 Intersect W. line q. W. N. of Post -

Land rolling 3rd rate. Birch, Sugar, Ash,
Elm, R. Oak &c.

99

Sec. 24 N. - R. 8 E. T² N. Ind^a

West Corner between Secs. 3 & 10 -

41.69 Set q. Sec. post at average dist. from which
an Elm 20 in. diam. bears N 37 W 9 W. dist. 8
a W. Oak 5 " " " 466 W 16 " "
83.38 To Sec. Corner.

North Detour Secs. 3 & 11

8.73 a Stream 8 W. wide Course S. W.
18.57 a Buck 24 in. diam.
40.00 Set q. Sec. post from which
a W. Oak 36 in. diam. bears S 15 E 9 W. dist. 8
a Buck 15 " " " 482 W 18 " "
75.00 a Stream 8 W. wide
79.25 Intersect N. Round. line 4.05 E. of Post -
where set Post Cn. to Secs. 3 & 11 from which
an Ironwood 4 in. diam. bears South 13 W. dist. 8
a Buck 12 " " " 473 E 24 " "
Land rolling & poor growth of similar kind
November 12th 1823 -

North Detour Secs. 32 & 33 -

11.25 a Sugar 22 in. diam.
40.00 Set q. Sec. post from which
a Poplar 10 in. diam. bears N 80 W 46 W. dist. 8
a Sugar 4 " " " N 60 E 12 " "
53.20 a W. Oak 30 " "
61.70 a Stream 5 W. wide Course S. E.
80.00 Set post Cn. to Secs. 28, 29, 32 & 33 from which
an Ironwood 3 in. diam. bears N 80 W 44 W. dist. 8
a Water Buck 4 " " " N 85 E 10 " "
Land level & 1st rate -

East or Random Detour Secs. 28 & 33 -

40.00 Set temp. q. Sec. Post -
61.75 To Mississinewa River -
80.45 Intersect N. line 68 W. N. of Post -

N. 24. N. - 40. 8 E. 3rd Mer. Indiana

Sand level 1st rate.

West Corner of Section Sec. 28 & 33

- 16.05 Set Post on E. Side of River No Bearings
 18.55 On River & Set Post on N. Side from which
 a Sycamore 18 in. diam. bears S 1 E 16 W. dist. 8
 a Hackberry 18 " " " N 27 W 18 " "
 40.23 Set g. Sec. Post at average dist. from which
 a Buckeye 4 in. diam. bears S 5 W 15 W. dist. 8
 a No 10 " " " N 5 W 12 " "
 80.45 To Sec. Corner.

North Section Sec. 28 & 29

- 10.70 a Red Oak 36 in. diam.
 40.00 Set g. Sec. post from which
 a Birch 12 in. diam. bears S 60 W 37 W. dist. 8
 a Sugar 14 " " " N 45 E 37 " "
 59.60 a White Wood 36 in. diam.
 74.50 a Stream 20 W. wide Corner E.
 80.00 Set Post on. to Sec. 20. 21. 28 & 29 from which
 a W. Elm 8 in. diam. bears S 55 E 14 W. dist. 8
 a R. Oak 11 " " " N 45 E 30 " "
 Sand level 2nd rate.

East or Random Section Sec. 21 & 28 -

- 8.20 a Stream 20 W. wide Corner N.
 13.00 To Mississinewa River
 40.00 Set temp. g. Sec. Post
 58.00 a Stream 20 W. wide Corner N.
 80.30 Intersect. Ad. line 110 W. N. of post.
 Sand level 1st rate. Mulberry. Hackberry. Red bud &c

West Corner of Section Sec. 21 & 28.

- 40.15 Set g. Sec. Post at average dist. from which
 a Mulberry 8 in. diam. bears N 77 W 8 W. dist. 8
 a Birch 15 " " " S 27 W 18 " "

101

J. H. N. - R. & E. 2nd Mer. Indiana

- 69.20 Set Post on E. Side of River from which
a Willow 3 in. diam. bears S 45 E 25 W. dist. 8
a Do 3 " " " N 22 W 12 " "
- 72.30 On River & Set Post on W. Side from which
a Mulberry 8 in. diam. bears N 35 E 6 W. dist. 8
a Red-bud 4 " " " S 20 E 10 " "
- 80.30 To Lee. Corner.

North Between Secs. 20 & 21

- 15.32 a Hickory 6 in. diam.
- 40.00 Set q. Sec. Post from which
a B. Oak 12 in. diam. bears S 60 E 19 W. dist. 8
a Do 10 " " " N 38 W 10 " "
- 53.77 a W. Oak 12 " "
- 80.00 Set Post Cu. to Secs. 16, 17, 20 & 21 from which
a Buck 14 in. diam. bears N 24 W 10 W. dist. 8
a Do 16 " " " S 34 W 15 " "
- Excellent rolling land Hickory, Elm,
Walnut, Sugar. Pines, Poplar, Maple &c

East on Random between Secs. 16 & 21-

- 40.00 Set temp. q. Sec. Post-
- 44.10 To Mississippi a River.
- 80.28 Intersect W. line 80 M. S. of Post -
And land 1st rate. Ash, Hackberry, Sugar &c

West Corner between Secs. 16 & 21-

- 34.05 Set Post on E. Side of River from which
a Buckeye 12 in. diam. bears S 20 W 16 W. dist. 8
a W. Oak 10 " " " N 15 E 4 " "
- 36.14 On River & Set Post on W. Side from which
a B. Ash 4 in. diam. bears S 25 W 13 W. dist. 8
a W. Oak 10 " " " N 15 E 4 " "
- 40.14 Set q. Sec. Post at angle dist. from which
a W. Buck 5 in. diam. bears S 24 E 4 W. dist. 8
a Do 5 " " " N 15 E 12 " "

24 N. W. & E. 2nd Mo. Indiana

80.28 To Sec. Corner.

North Return Sec. 16 & 17

10.50 at Beech 28 in. diam.

40.00 Set g. Sec. post from which

a W. Ash 8 in. diam. was N 31 E 34 W. dir. 8

a B. Beech 4 " " " S 27 W 10 " "

56.17 a Hickory 24 " "

80.00 Set Post on to Sec. 8, 9, 16 & 17 from which

a Sugar 10 in. diam. was N 77 W 7 W. dir. 8

a Do " " " N 6 E 25 " "

Land rolling, 1st rate. Walnut. Sugar. Elm.

Buckeye. Hackberry. Mulberry &

East Return Sec. 9 & 16

15.50 To Mississinewa River

18.90 a Stream 15 W. wide Cross S.

80.36 Intersect Md. line 30 W. N. of Post-

1st 1/2 mile 1st rate Last 1/2 2nd rate Land-

Walnut Elm. Hickory. B. Ash &

West Corner Return Sec. 9 & 16-

40.18 Set g. Sec. Post at arraige dir. from which

a Buckeye 5 in. diam. was N 6 E 35 W. dir. 8

a Sugar 10 " " " S 75 W 14 " "

62.86 Set Post on E. Side of River from which

an Elm 30 in. diam. was N 70 E 53 W. dir. 8

a Do 20 " " " N 38 E 64 " "

64.86 On River Set Post on W. Side from which

a Hackberry 13 in. diam. was South 22 W. dir.

80.36 To Sec. Corner.

North Return Sec. 8 & 9

22.00 Set Post on W. Side of River from which

a Buckeye 20 in. diam. was S 35 W 44 W. dir. 8

a Hackberry 10 " " " N 80 W 79 " "

103

N. 24 N. - W. 8 E. 3rd Mer. Indiana

- 24.10 over River set post on E. Side from which
 a W. Oak 24 in. diam. bears S 50 E 40 W. dist. 8
 a Buck 10 " " " S 20 W 15 " "
- 40.00 Set gr. Sec. post from which
 a Hickory 12 in. diam. bears N 75 E 12 W. dist. 8
 a Sugar 24 " " " N 50 W 15 " "
- 80.00 Set post cor. to Sec. 4. 5. 8 & 9 from which
 a Buck 20 in. diam. bears S 31 W 18 W. dist. 8
 a Sugar 24 " " " N 3 E 54 " "
 Excellent rolling land. Timber Sugar.
 Elm. Walnut. Buckeye &c.

East on Random between Sec. 4 & 9 -

- 40.00 Set temp. gr. Sec. post.
 81.00 Intersect Mt. line 150 W. S. of post.
 Land good. Sugar. Ash. Buck &c. rough
 & thin. Hazel, gooseberry. Spice &c

West Corner between Sec. 4 & 9 -

- 40.50 Set gr. Sec. post at arraigo dist. fr. which
 a Buck 14 in. diam. bears N 80 E 5 W. dist. 8
 a Hickory 14 " " " S 77 W 15 " "
 81.00 To Sec. Corner. November 12th. 1823.

North Return Sec. 4 & 5 -

- 15.28 a Hickory 18 in. diam.
 39.70 a Stream 12 W. wide course S. W.
 40.00 Set gr. Sec. post from which
 a Sugar 12 in. diam. bears N 12 E 7 W. dist. 8
 a Do 12 " " " S 12 W 15 " "
- 78.00 Intersect N. Bound. line 130 W. E. of post
 when set post cor. to Sec. 4 & 5 from which
 a Hickory 14 in. diam. bears N 42 E 15 W. dist. 8
 a Ash 20 " " " S 30 E 25 " "
 Description of Land & Timber omitted.

T. H. N. R. & E. J^{rs} Mer. Indiana

North Return Secs 31 & 32

19.75 a Stream 10 W^{ts} wide Course E.

23.50 a W. Oak 30 in. diam. bears

40.00 Set gr. Sec. post from which
an Ash 5 in. diam. bears S 35 W 17 W^{ts} dist. 8
a Do 4 " " " S 71 E 28 " "

41.08 a Maple 18 " "

80.00 Set post cor. to Secs 29, 30, 31 & 32 from which
a Spruce 8 in. diam. bears N 60 E 17 W^{ts} dist. 8
a Buck 15 " " " S 85 W 13 " "Sand level Sth rate. Oak. Ash. Hickory.
Buck. Sugar. Spruce. B. Walnut. Ash. Spice.

East or Random between Secs 29 & 32 -

40.00 Set temp. gr. Sec. post.

79.00 Intersect N. line 160 W^{ts} S. of Post.

Sand & Timber same as on the last line.

West Corner between Secs 29 & 32 -

39.50 Set gr. Sec. post at average dist. fr. which
a Sugar 15 in. diam. bears N 68 W 16 W^{ts} dist. 8
a B. Oak 36 " " " N 59 E 7 " "

79.00 To Sec. Corner.

West Return Secs 30 & 31 -

1.23 a Buck 20 in. diam.

40.00 Set gr. Sec. post from which

a Buck 10 in. diam. bears N 83 W 8 W^{ts} dist. 8
a Sugar 24 " " " S 70 E 11 " "51.00 a Stream 6 W^{ts} wide Course N. E.

59.15 an Ash 40 in. diam.

61.50 a Stream 45 W^{ts} wide Course N. E.81.00 Intersect N. Bound. line 71 W^{ts} S. of Post -when Set Post cor. to Secs 30 & 31 from which
a Buck 4 in. diam. bears S 56 E 15 W^{ts} dist. 8
a Do 18 " " " N 44 E 18 " "

105

of J. H. N. W. & E. J. Mer. Indiana.

Land level 2nd rate. Timber Ash, Beech, Sugar,
Hickory, Ironwood, Spruce, Pickly Ash &c-

North Return Secs 29 & 30-

14.91 a Beech 15 in. diam.

40.00 Set gr. Sec. Post from which

a Beech 20 in. diam. bears S 3 E 32 W. dist.

a Oak 40 " " " N 2 W 28 " "

46.25 a Beech 18 " "

72.00 a Stream 50 W. wide Course E-

80.00 Set Post Co. to Secs 19, 20, 29 & 30 from which

a Beech 6 in. diam. bears N 12 E 33 W. dist.

a Do 10 " " " N 37 W 15 " "

Land & Timber same as on the last line-

East on Random between Secs 20 & 29-

18.75 a Stream 50 W. wide Course N. E.

39.50 Do 50 " " " S. E.

40.00 Set gr. Sec. Post. (temp.)

78.30 Intersect N. line 165 W. N. of Post-

Land rolling 2nd rate. Timber Elm, Ash,

Sugar, Beech, ungth Simileas-

West Corner between Secs 20 & 29-

39.15 Set gr. Sec. post. at corner dist. from which

a Beech 22 in. diam. bears N 65 W 13 W. dist.

a Sugar 24 " " " S 30 W 16 " "

78.30 To Sec. Corner.

West Return Secs 19 & 30-

12.69 a Sugar 20 in. diam.

40.00 Set gr. Sec. Post from which

a Beech 18 in. diam. bears S 11 E 18 W. dist.

an Ash 10 " " " N 33 E 23 " "

41.02 a Hickory 22 " "

82.56 Intersect N. Round. line 71 W. S. of post.

of 24 N. - R. 8 E. 3rd Mer. Indiana

where set post Cu. to Secs. 19 & 20 - from which
 a Beech 15 in. diam. bears N 88 E 6 W. dist. 9
 a Spruce 15 " " " N 53 E 38 " "
 Land lent 2nd rate. Timber Ash. Beech. Sugar,
 Oak. Poplar. Spruce. Elm. Spruce Swamp Ash &c.

North Return Secs. 19 & 20

5.70 a Beech 15 in. diam.
 40.00 Set gr. Sec. post from which
 a Hickory 6 in. diam. bears N 12 E 4 W. dist. 8
 a B. Oak 5 " " " S 64 W 16 " "
 70.00 a Hickory 18 " "
 80.00 Set post Cu. to Secs. 17, 18, 19 & 20 from which -
 a Beech 18 in. diam. bears S 71 W 5 W. dist. 8
 a Spruce 36 " " " S 67 E 17 " "
 Land lent 2nd rate, well timbered with Spruce, Ash,
 Beech, Sugar, Oak, Buckeye, Spruce &c.

East or Random Return Secs. 17 & 20 -

40.00 Set temp. gr. Sec. post -
 76.60 Intersect N. S. line S 17 W. S. of post -
 Land rolling 2nd rate.

West Corner Return Secs. 17 & 20 -

38.30 Set gr. Sec. post at average dist. from which
 a Beech 15 in. diam. bears N 7 W 14 W. dist. 8
 a No 8 " " " S 2 E 63 " "
 76.60 To Sec. Corner.

West Return Secs. 18 & 19 -

40.00 Set gr. Sec. post from which
 an Ash 4 in. diam. bears N 58 W 7 W. dist. 8
 an Elm 12 " " " S 58 E 30 " "
 84.00 Intersect N. Bound. line 6.65 S. of post,
 where set post Cu. to Secs. 18 & 19 from which
 a Spruce 10 in. diam. bears N 25 E 14 W. dist. 8

107

W. H. N. - W. & E. 2nd Mer. Indiana

*a Buck 4 in. diam. bears S 58 W 12 W. dist.
Land lent. rich 2nd rate. Timber Sugar. Elm,
Sycam. Ash &c. Open woods -*

North Return Sec. 17 & 18 -

*40.00 Set q. Sec. post from which
a Buck 10 in. diam. bears S 51 W 9 W. dist. 9
a No 8 " " " N 38 E 20 " "
80.00 Set post en. to Sec. 7, 8, 17 & 18 from which
a Buck 30 in. diam. bears N 52 W 6 W. dist. 9
a Buckeye 5 " " " S 59 E 11 " "
Land lent 2nd rate. Buck. Sugar. Ash,
Wichay, Oak. Spice &c.*

East in Random Return Sec. 8 & 17 -

*40.00 Set temp. q. Sec. post -
78.00 Interm. M. line 362 W. S. of Post -
Land rolling 1st rate. Timber Walnuts. Sugar,
Buck &c. Spice, Pawpaw &c*

West Corner Return Sec. 8 & 17 -

*39.00 Set q. Sec. post at an angle dist. from which
a Sugar 12 in. diam. bears S 71 E 30 W. dist. 9
a No. 7 " " " N 69 W 32 " "
78.00 To Sec. Corner.*

West Return Sec. 7 & 18 -

*9.50 a Stream 5 W. wide Corn N. E.
24.50 an Oak 28 in. diam.
40.00 Set q. Sec. post from which
a Buck 14 in. diam. bears S 20 E 24 W. dist. 9
an Oak 12 " " " N 80 W 36 " "
82.25 Interm. M. Round. line 4.50 S. of Post -
where set post en. to Sec. 7 & 18 from which
a Buck 14 in. diam. bears N 35 E 24 W. dist. 9
a No 8 " " " N 36 W 12 " "*

Sec. 24 N. - T. 8 E. 3rd Mer. Indiana

Land very level & rich. Ash Elm. Sugar. Buckeye

North Bottom Sec. 7 & 8.

- 11.85 An Elm 18 in. diam.
 26.50 at Branch 6 Mts wide corner E.
 44.00 Set q. Sec. Post from which
 a Sugar 20 in. diam. bears N 60 E 8 W. dist. 9
 a Buckeye 8 " " " D 54 N 11 " "
 59.78 a Hickory 18 " "
 65.68 To Mississinewa River & set Post from which
 a B. Oak 18 in. diam. bears N 53 W 41 W. dist. 9
 a Spruce 5 " " " D 60 N 13 " "
 74.22 On River & set Post from which
 a Sycamore 20 in. diam. bears N 77 W 40 W. dist. 9
 a Hackberry 24 " " " D 59 E 49 " "
 80.00 Set Post Cr. to Sec. 5, 6, 7 & 8 from which
 a Hackberry 8 in. diam. bears N 40 E 24 W. dist. 9
 a Buckeye 8 " " " D 51 W 33 " "
 Land rolling & rich

West Bottom Sec. 6 & 7

- 1.22 To M. River & set Post on E. Side from which
 a Buckeye 8 in. diam. bears N 82 E 28 W. dist. 9
 an Elm 36 " " " D 46 E 58 "
 3.95 On River & set Post on W. Side from which
 a W. Oak 14 in. diam. bears D 43 E 21 W. dist. 9
 a Do 9 " " " N 8 E 11 " "
 31.88 an Elm 15 " "
 44.00 Set q. Sec. Post from which
 an Elm 12 in. diam. bears D 71 E 22 W. dist. 9
 a Do 22 " " " N 42 E 20 " "
 44.50 a Stream 10 Mts wide corner N. E.
 82.12 Turned N. Round. line 575 W. S. of Post -
 when Set Post Cr. to Sec. 6 & 7 from which
 a Buck 15 in. diam. bears N 11 E 10 W. dist. 9
 a W. Oak 36 " " " D 41 E 15 " "

109

S. H. N. W. & E. 2nd Mer. Indiana

*Sand level 2nd rate. Timber as before described
November 14th 1823.*

*East of Randam Return Sec. 5 & 8 -
40.00 Set temp. g. Sec. post.
78.00 Intersect N. line 400 S. of Post -
Sand rolling & rich. Sugar, Buckeye, Elm &c*

*West Corner of Return Sec. 5 & 8 -
39.00 Set g. Sec. post at angle dir. from which
a Beech 12 in. diam. bears S 34 E 11 W. dir. of
a No 12 " " " N 33 W 22 " "
78.00 To Sec. Corner.*

*North Return Sec. 5 & 6 -
3.41 To Mississinewa River & set Post from which
a Lycium 13 in. diam. bears O 25 E 52 W. dir. of
a No 11 " " " O 51 E 48 " "
6.85 On River & set Post from which
a Beech 15 in. diam. bears N 32 E 20 W. dir. of
a N. Oak 18 " " " O 52 W 12 " "
40.50 Set g. Sec. Post from which
a Maple 40 in. diam. bears N 3 W 39 W. dir. of
a No 13 " " " N 59 E 40 " "
48.40 To Mississinewa River & set Post from which
a Buckeye 11 in. diam. bears N 60 E 13 W. dir. of
a No 14 " " " S 42 W 12 " "
53.04 On River & set Post on N. Side from which
a B. Oak 14 in. diam. bears N 76 E 10 W. dir. of
a N. Oak " " " N 12 W 7 " "
84.50 Intersect N. Bound. line 383 W. E. of Post
where set Post Cu. to Sec. 5 & 6 from which
a N. Oak 16 in. diam. bears N 70 W 11 W. dir. of
an Elm 3 " " " O 38 E 11 " "
Sand broken & poor. Oak & Beech timber -
undergrowth. Spruce, Ironwood, Beech &c -*

*Review
12th 1823*

W. H. N. - R. & E. 2nd Mer. Indiana

Meanders of Mississinewa River

Beginning at Post in N. Boundary line
on South Side of River - thence up stream

Course	Distances	Remarks -
S 77 W	10.00	In Sec. 6
South	14.00	
S 56 E	23.00	at 10.00 a stream 12 W. side South
S 77 E	14.00	
N 78 E	6.50	To Post in line of Sect. 5 & 6
N 79 E	7.00	In Sec. 5
N 87 E	17.00	
S 69 E	14.00	
South	10.00	
S 10 E	21.00	
S 37 E	6.00	
S 68 W	3.00	
S 85 W	6.00	
N 69 W	8.00	
S 85 W	4.39	To Post in line of Sect. 5 & 6
S 30 W	9.00	To Post in line of Sect. 6 & 7
S 21 W	15.00	To Post in line of Sect. 7 & 8
S 42 E	55.00	In Sec. 8
S 72 E	12.00	
N 67 E	22.00	
S 80 E	8.00	
S 69 E	4.20	To Post in line of Sect. 8 & 9
S 58 E	7.00	In Sec. 9
S 31 E	7.00	
S 27 E	13.21	To Post in line of Sect. 9 & 16
S 41 E	8.00	In Sec. 16

J. H. N. R. & Co. Ind. Mer. Indiana

033 E	27.00	
040 E	8.00	
010 E	5.00	
01 E	14.00	
02 W	5.00	Want close
07 E	11.00	
017 E	5.00	
05 E	3.00	
04 W	3.88	To Post in line of Dec. 16 & 21

06 W	5.00	In Sec. 21
01 W	7.50	
035 W	14.00	
047 W	14.00	
018 W	9.00	
013 W	17.00	
021 W	15.50	{ at 7.78 a stream 30 W. side NW. To Post in line of Dec. 21 & 28
013 E	8.28	

018 E	8.50	In Sec. 28.
05 W	6.00	
021 W	4.00	
018 W	11.00	
04 E	7.00	
022 E	25.00	at 10.00 a Spring branch West.
029 E	18.00	" 8.50 a do
075 E	5.50	
079 E	8.00	Want close well
070 E	11.00	
078 E	8.50	
06 E	5.00	
013 W	1.78	To Post in line of Dec. 28 & 33

029 W	6.00	In Sec. 33.
054 W	22.00	
012 W	17.00	at 7.50 a Stream 15 W. side West

Sec. 24 N. - T. 8 E. 3rd Mer. Indiana

D177 42.00

D258 5.50 Topost in S. Boundary line -

Meanders of Mississinewa River
Beginning at Post in S. Boundary line
on N. Side of River - thence up stream -

Courses Distances

Remarks -

D1377 18.00

In Sec. 6.

D277 5.00

Lower end of Island -

D578 15.50

Upper " " "

D618 9.00

D858 4.00

N888 4.00

N738 4.00

N688 2.94

Topost in line of sec. 5 & 6.

East 19.00

In Sec. 5 High bluff -

D698 4.00

D668 14.00

D78 9.00

D1877 30.00

at 2.20 a stream 8 M^{rs} wide S.E. -

D4077 9.00

D777 7.00

N7177 11.00

D7777 4.36

Topost in line of sec. 5 & 6.

D1977 3.63

Topost in line of sec. 6 & 7.

D88 5.87

Topost in line of sec. 7 & 8.

D158 14.50

In Sec. 8.

D378 10.00

D528 12.00

D428 9.00

D318 15.00

D498 10.00

J. H. N. R. & Co. 2nd Mer. Indiana

177 E	7.00	
176 E	9.00	
171 E	14.00	
180 E	10.00	To post in line of sec. 8 & 9-
162 E	10.00	In Sec. 9-
027 E	22.70	To post in line of sec. 9 & 16-
034 E	40.00	In Sec. 16- at 2.00 at Branch 25 East-
05 E	31.00	
011 E	17.17	To post in line of sec. 16 & 21-
016 W	17.00	In Sec. 21-
045 W	22.00	at .50 a Stream 30 W. side S-
033 W	4.00	
021 W	41.00	Wmt Close
018 W	34.00	
06 E	7.50	To post in line of sec. 21 & 28-
09 E	12.00	In Sec. 28-
021 W	17.00	
016 E	15.00	
029 E	30.00	
054 E	3.00	
080 E	5.00	
178 E	10.00	High perpendicular bluff-
181 E	13.00	
070 E	3.00	
012 E	10.00	To post in line of sec. 28 & 33-
018 W	5.00	In Sec. 33-
052 W	12.50	
057 W	16.00	
022 W	8.00	
011 W	13.00	
02 W	32.00	2.60 Branch. E- 14.50 a Do- East-

W. H. N. - R. S. E. 2nd Mer. Indiana

S 19 E 7.50

S 44 E 6.50

*To Post in S. Bound. line. opposite
an Island in N. Side of River -*

*December 4th 1893 Surveyed by
John Wendricks R. S.*

*I Certify that the foregoing transcript of the
Field Notes of Township M. North, in Range
8 East of the 2nd Meridian in Indiana,
has been compared with the Original in
this Office, and found to be correct.*

*Surveyor General's Office,
Indianapolis Oct. 29th 1892*

*William Johnston
Sur. Genl.*